

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

221

## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification <sup>6</sup> : A01N 25/14	A1	(11) International Publication Number: <b>WO 98/09516</b> (43) International Publication Date: 12 March 1998 (12.03.98)
(21) International Application Number: PCT/EP97/04783 (22) International Filing Date: 2 September 1997 (02.09.97) (30) Priority Data: 196 35 631.8      3 September 1996 (03.09.96)      DE (71) Applicant (for all designated States except US): NOVARTIS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH). (72) Inventors; and (75) Inventors/Applicants (for US only): REUTER, Karl [DE/DE]; Sundgauallee 88, D-79110 Freiburg (DE). KRUEGER, Christian [DE/DE]; Talstrasse 21, D-79639 Grenzach-Wyhlen (DE). (74) Agent: ROTH, Bernhard, M.; Novartis AG, Patent- und Markenabteilung, Lichtstrasse 35, CH-4002 Basel (CH).	(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).  Published With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.	
(54) Title: AGROCHEMICAL COMPOSITIONS  (57) Abstract  Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25 °C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25 °C.		



PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : <b>A01N 25/14</b>	<b>A1</b>	(11) International Publication Number: <b>WO 98/09516</b>
		(43) International Publication Date: 12 March 1998 (12.03.98)
<p>(21) International Application Number: PCT/EP97/04783</p> <p>(22) International Filing Date: 2 September 1997 (02.09.97)</p> <p>(30) Priority Data: 196 35 631.8 3 September 1996 (03.09.96) DE</p> <p>(71) Applicant (for all designated States except US): NOVARTIS AG [CH/CH]; Schwarzwalddallee 215, CH-4058 Basel (CH).</p> <p>(72) Inventors; and (75) Inventors/Applicants (for US only): REUTER, Karl [DE/DE]; Sundgauallee 88, D-79110 Freiburg (DE). KRUEGER, Christian [DE/DE]; Talstrasse 21, D-79639 Grenzach-Wyhlen (DE).</p> <p>(74) Agent: ROTH, Bernhard, M.; Novartis AG, Patent- und Markenabteilung, Lichtstrasse 35, CH-4002 Basel (CH).</p>		<p>(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).</p> <p><b>Published</b> With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</p>
<p>(54) Title: AGROCHEMICAL COMPOSITIONS</p> <p>(57) Abstract</p> <p>Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25 °C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25 °C.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KR	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

### AGROCHEMICAL COMPOSITIONS

The present invention relates to a new type of agrochemical granulated material, which is dispersible in water so as to produce a spray liquor that is ready for use.

Commercial forms of agrochemical active ingredients, that are dispersible in water, are conventional in practice. As well as liquid forms such as emulsion concentrates or suspension concentrates, solid forms such as granules that are dispersible in water, exist commercially. The chosen commercial formulation is basically determined by the physical parameters of the selected active ingredients and admixtures such as surfactants, emulsifiers or carriers. For example, for liquid active ingredients and admixtures, normally liquid commercial forms are chosen, and for solid ones the solid forms of preparation are chosen. In the case of liquid active ingredients, the liquid forms of preparation can normally contain higher concentrations of the active ingredient than the solid forms, but require stable transport containers such as canisters or casks, the return transport and cleaning or disposal of which after emptying give rise to additional costs. On the other hand, the solid forms of preparation may be transported in plastic bags or paper sacks, which can be easily folded up and disposed of after emptying, without giving rise to significant costs. The known solid commercial forms may also be selected for liquid active ingredients or liquid admixtures, if a high proportion of solid, absorbent carrier material is chosen. The proportion of liquid components consisting of active ingredient and admixtures in these dispersible, adsorbed, granulated materials may not in general exceed 20 to 25 percent by weight.

In agricultural practice, there is therefore a need for solid commercial forms, especially granular forms, which allow high proportions of liquid and waxy components such as active ingredients and admixtures to be incorporated therein.

In accordance with the invention, an agrochemical granulated material is prepared, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25°C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent. It optionally has an outer coating and is characterised in that the granulated material has plastic behaviour at 25°C. These new type of

granulated materials may contain up to 90% of liquid, gel-like or waxy constituents. The proportion of these constituents is in general preferably 40 to 90%

An agrochemical granulated material which is dispersible in water, in terms of this application, is understood to be a granular composition for agrochemical active ingredients, which is present as granulated material in its commercial, transport and storage form, and which when preparing an aqueous dispersion breaks down in water automatically or with light stirring, to form a homogeneous, sprayable dispersion. At normal ambient temperature, these granulated materials exist as a coarse-grained, free-flowing, non-sticking or non-drying granulated material. Normally, the granulated materials according to the invention are dust-free.

Compared with the previously known dispersible granulated materials, which as such contain liquid contents such as active ingredients of surface-active compounds or liquid mixtures thereof, the granulated materials according to the invention are superior in that they only contain small proportions of solid carrier materials, that is, the granulatable raw material is not produced by adsorption of the liquid components on the solid inert carrier material. The maximum charge of granulated materials consisting of adsorptive carrier materials for liquid constituents is 20 to 25% according to present experience. In contrast, the granulated material according to the invention is a surfactant/matrix granulated material or an active ingredient/matrix granulated material, in which the agrochemical active ingredient is embedded in a matrix consisting of a surface-active material (surfactant), or the surfactant is embedded in a matrix consisting of an active ingredient. In the granulated materials according to the invention, these active ingredient/surfactant mixtures themselves have an aggregate state which is liquid, gel-like or waxy at +25°C, and does not allow granular materials to be formed directly. In accordance with the invention, a granulated material with plastic behaviour is produced from such a mixture, whereby the agrochemical active ingredient is mixed with the surface-active compound to form a homogeneous mixture or dispersion, and this mixture is brought to a granulatable state by adding a small amount of an appropriate thickening agent, this mixture is granulated and the surface of the granulated material obtained is coated if required. This coating may serve to improve the fluidity of the granulated material.

Appropriate granulating processes are all conventional processes described in granulating technology, for example spray drying, fluidised bed granulation and in particular extrusion granulation.

The granulated materials obtained by the granulation process according to the invention are normally not sticky at room temperature (+ 25°C) and do not dry out even when storing for long periods.

The granulated materials according to the invention are dispersed by stirring into water in the spray tank, to form a dispersion which is ready for use within 5 to 10 minutes.

In contrast to the known adsorbed granulated materials, the granulated materials according to the invention have a plastic consistency, that is, under mechanical pressure the grains do not break down into powder or granule fragments, but are basically deformed into flat circular discs. In this way, a cylindrical or spherical grain according to the invention with a diameter of 0.6 - 2 mm is deformed homogeneously, like a plastic, to form an elliptic or circular plate at a thickness of at most 20% of its original diameter, when compressed between two non-plastic parallel plates.

Suitable thickening agents in the granulated materials according to the invention may be all substances which are able to thicken the liquid, gel-like or waxy mixtures of agrochemical active ingredients and surface-active substances, in such a way that the admixed mass has a consistency suitable for granulation. To this end, the following are especially suitable: ultra-fine silicon dioxide, pyrogenic silicon dioxide or precipitated silicon dioxide; ultra-fine aluminium silicates such as bentonite, organic polymers such as polyvinyl alcohol derivatives, cellulose derivatives, polysaccharide derivatives or ultra-fine urea- or melamine/formaldehyde-condensates. By ultra-fine forms of the thickening agents are understood powder forms with grain sizes of between 0.01 µm and 10 µm. Commercially available thickening agents, which may be used in the granulated materials according to the invention, are for example AEROSIL (DEGUSSA AG, Frankfurt, Germany); CELITE (MANVILLE, Denver, USA); PERGOPAK (MARTINSWERK, Berghelm, Germany); ARGIREC (BLANCS MINEREAUX de PARIS, Paris, France).

A particular advantage of the granulated materials according to the invention is their high content of liquid, gel-like or waxy mixture, which preferably makes up between 40 and 90% of the total weight of the granulated material.

If desired, the granulated materials according to the invention may contain, in addition to the active ingredients and surface-active substances, further carriers and admixtures that are usual in agriculture. Preferably, the content of carriers is at most up to 55% of the total weight. In particular, the proportion of carriers is less than 10% of the total weight.

The proportion of thickening agent in the granulated materials according to the invention is generally up to 20 percent by weight, preferably 5 to 20, especially 5 to 10 percent by weight.

The granulated materials according to the invention preferably contain 40 to 90% of the liquid, gel-like or waxy mixture comprising agrochemical active ingredient and surface-active compound, 5 to 20% of a thickening agent, and a carrier and/or admixture which is usual in agriculture.

Carriers that are usual in agriculture, in the terms of the present invention, are materials which are acceptable in agriculture and are added to the active component to bring it into a form which is easier or better to use, or to bring it to a useful or desirable strength of activity. This may be for example talc, kaolin or diatomaceous earth.

The liquid, gel-like or waxy mixture incorporated in the granulated material according to the invention consists either of a liquid or solid agrochemical active ingredient and a liquid surface-active compound, or of a liquid active ingredient and a liquid or solid surface-active compound.

The agrochemical active ingredients may be fertilizers, growth regulators and pesticides. The granulated materials are preferably used as a formulation for pesticides having acaricide, fungicide, herbicide or insecticide activity.

For example, the following active ingredients may be granulated by the formulation technique according to the invention:

Acaricides and insecticides such as benthicarb, diflubenzuron, teflubenzuron, lufenuron, diafenthiuron or pyrethroids such as bifenthrin, bioallethrin, tau-fluvalinate, resmethrin, permethrin, cypermethrin, cyfluthrin, cyhalothrin, deltamethrin, tefluthrin or tetramethrin; furtheron pymetrozin, thiocyclam, fenoxycarb, methopren, abamectin and emamectin.

Preference is given to lufenuron, diafenthiuron, tau-fluvalinate and cypermethrin.

Fungicides such as benomyl, carbendazim, cyprodinil, chlorthalonil, dimethomorph, edifenphos, fenpropimorph, metalaxyl, (R)-metalaxyl (enantiomer), oxadixyl, pyrifenoxy, thiabendazol, tridemorph, azoxystrobin, kresoxim-methyl or triazoles such as propiconazol, difenoconazol, bromoconazol, cyproconazole, epoxyconazol, hexaconazol, ipconazol, fenbuconazol, myclobutanil, penconazol, tebuconazol, triadimefon, triadimenol, tetraconazol, triticonazol, or uniconazol; furtheron acibenzolar-S-methyl, famoxadone, quinoxifen, spiroxamin, fludioxonil, fenpiclonil, fenhexamid and 2-[ $\alpha$ -{[( $\alpha$ -methyl-3-trifluoromethyl-benzyl)imino]-oxy}-o-tolyl]-glyoxylic acid-methylester-O-methyloxim.

Preference is given to carbendazim, cyprodinil, chlorthalonil, metalaxyl, (R)-metalaxyl, oxadixyl, azoxystrobin, kresoxim-methyl, propiconazol, cyproconazole, epoxyconazol and tebuconazol.

Herbicides such as chlortoluron, bifenoxy, bromoxynil and its octanoate, ioxynil and its octanoate, fluometuron, glufosinate, glyphosate, pendimethalin, sulcotrione, 3-phenyl-4-hydroxy-6-chloropyridazine, alachlor, dimethenamide, metolachlor, (S)-metolachlor (enantiomer), or sulfonyl-ureas such as bensulfuron, primisulfuron, prosulfuron, triasulfuron, pyrazosulfuron, nicosulfuron, rimsulfuron, thifensulfuron, triflusulfuron, oxasulfuron, cinosulfuron; furtheron atrazine, propaquizafop, trinexapac-ethyl, pyridate, dicamba, clodinafop, fenclofenac. Preference is given to fluometuron, glufosinate, glyphosate, sulcotrione, 3-phenyl-4-hydroxy-6-chloropyridazin, dimethenamid, metolachlor, (S)-metolachlor, triasulfuron, nicosulfuron or rimsulfuron.

The components in the mixture may be solid or liquid, surface-active substances. These surface-active substances are preferably anionic surfactants from the series of fat alcohol ether sulphonates, such as lauryl ether sulphates, sulphosuccinates, sulphonated naphthalene/formaldehyde condensates and alkylaryl sulphonates, or non-ionic surfactants from the series of alkylphenol ethoxylates, such as nonylphenol ethoxylates, fat alcohol ethoxylates such as oleyl alcohol ethoxylates or lauryl alcohol



ethoxylates, fat amine ethoxylates and mixtures thereof, ethoxylated oils such as ethoxylated castor oil and rapeseed oil, ethoxylated fatty acid methyl esters, sorbitan esters and ethoxylated sorbitan esters, alkyl- and alkylaryl-polyethylene oxide phosphoric acid esters, ethoxylated polyethylene glycols, ethylene oxide / propylene oxide adducts, alkyl-succinic acid anhydride condensates, fatty acid amide ethoxylates, alkyl-polyglycosides or silicone surfactants.

Examples of commercial types of surfactant that may be formulated into granulated materials according to the invention are:

GENAPOL (HOECHST AG, Frankfurt, Germany); lauryl ether sulphate (HOECHST AG, Frankfurt, Germany); SYNPERONIC (ICI EUROPE LTD, Kortenbergh, Belgium), ARMOBLEN (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), BEROL (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), CROVOL (CRODA OLEOCHEMICALS, North Humberside, Great Britain), ALKAMULS (RHONE-POULENC, Paris, France), oleic acid methylester (HUELS AG, Marl, Germany), AEROSOL (CYTEC INDUSTRIES INC., West Peterson, N.J., USA), CRILL and CRILLET (CRODA OLEOCHEMICALS, North Humberside, Great Britain), CRODAFOS (CRODA OLEOCHEMICALS, North Humberside, Great Britain), SOPROPHOR (RHONE-POULENC, Paris, France), ATLOX (ICI EUROPE LTD, Kortenbergh, Belgium), MARLOX (HUELS AG, Marl, Germany), ASAC (ICI EUROPE LTD, Kortenbergh, Belgium), GENAGEN (HOECHST AG, Frankfurt, Germany); AG 6202 (AKZO NOBEL SURFACE CHEMISTRY BV, Amersfoort, Netherlands), SUPRAGIL (RHONE-POULENC, Paris, France), calcium dodecylbenzene-sulphonate (HOECHST AG, Frankfurt, Germany); SILWET (OSI SPECIALTIES, Tarrytown, N.Y., USA).

If necessary, in addition to these surface-active substances, the granulates may also contain further additives, for example anti-foaming agents.

The granulated materials according to the invention are normally non-sticking or non-drying, and exist as free-flowing granular form. If it is desired that the surface of the granulated materials according to the invention are further treated against adhesion, this surface may be covered with one of the said powdery carriers such as kaolin or talc. This coating may take place for example by dusting with kaolin or talc, or by rolling in a mixing or drying drum covered with kaolin or talc. Alternatively, the surface of the granulate may also be coated e.g. with a water-soluble polymer film of polyvinyl alcohol or polyvinyl pyrrolidone in a film-forming drum.

The granulated materials according to the invention enable not only a high concentration of liquid active ingredients to be obtained, but also a high concentration of liquid, gel-like or waxy surface-active substances. In a typical granular formulation according to the invention, there is for example 10-30% active ingredient, 40-70% surface-active substance, 10-20% thickening agent and 0-10% powdery carriers. Compositions such as 24% active ingredient, 50% surface-active substance, and 26% thickener, dispersing agents, wetting agents and carriers; or 25% active ingredient, 60% surface-active substance, 10% thickening agent, 1.5% defoamer and 2.5% kaolin may be mentioned by way of example.

The following examples serve to illustrate the invention, but in no way restrict it.

**Example 1: Cyproconazole granulated materials**

56% lauryl ether sulphate (dry content) in the form of a 70% water-containing paste (Genapol \* LRO, Hoechst AG, Frankfurt) is mixed to a homogeneous dispersion with 1.5% defoamer (Fluowet \* PL 80, Hoechst AG, Frankfurt), 25% cyproconazole (technical, 96%) and 10% thickening agent (Aerosil \* 200, Degussa, Frankfurt). The paste obtained is extruded in an extrusion press having a perforated screen of 0.5 - 2.0 mm hole diameter. The extruded cord-like material is divided into cylindrical grains of 2 to 20 mm length and the surface thereof is coated with 4.5% powdery kaolin (Tuboryl \* N, SILICE et KAOLIN, Paris, France). The extruded granulated material is dried in a drying appliance up a residual moisture of ca. 3% water content. During the drying process, the granulated material hardens further. The granulated material obtained contains 24% pure cyproconazole, 56% GENAPOL LRO, 10% AEROSIL, 4,50% TUBORYL N, 1,50% FLUOWET PL 80, and ca. 3% water.

**Example 2: Further granulated materials**

The following plastic granulated materials are produced analogously to the process in example 1:

Details in percent by weight

Residual moisture of the granulated material: 1-5% water

Component	2a	2b	2c	2d	2e	2f	2g	2h
ciproconazole	25	25	25	25				30
Tau-fluvalinate					20	25	15	
GENAPOL O-80				40		40		55
Lauryl ether sulphate	55	40	40		60		57	
AEROSIL 200	12				10			10
CELITE 209			18				10	
PERGOPAK		15	8	16		16	10	
AGRIREC B24	4	10		10	6	10		
SUPRAGIL EI210		6	5	7		7	2	1
kaolin (TUBORYL N)							3	

**Example 3: Plasticity test**

A cylindrical grain (obtained according to example 1) of 1 mm diameter and 4 mm length is positioned lengthways between two glass plates. The glass plates are compressed with even pressure until 0.15 mm apart. During the compression process, the grain becomes deformed into a circular or elliptic homogeneous plate of 0.15 mm height. During the compression process, no fragments or powdery particles (fig. 1) are formed. In contrast to this, when compressing a non-plastic granulated material, for example an adsorbed granulated material, small fragments (fig. 2) are obtained.

In various plasticity tests with longer cylindrical grains (10 mm length, 1 mm diameter), the deformed elements obtained were almost square-shaped : at a final height of 0.2 mm, the width was 6-8 mm and the length 11-17 mm.

**Example 4: Biological test**

In a field test in Switzerland, the effects of cyproconazole in various types of formulation on *Erysiphe graminis* (powdery mildew) were determined in barley.

Field plots (2 m x 7.5 m) were sown on 25th August with barley seed of the cultivar "Golden Promise". After emergence, the plots were sprayed on 18th September with spray liquors produced from the different formulations. The amounts applied were respectively 80 g cyproconazole per hectare. Evaluation was effected 17 days and 24 days after treatment and compared with untreated comparison plots, and the results given as percentage control of the powdery mildew attack (100% = no attack; 0% as untreated control).

The following formulations were tested:

- |                       |  |
|-----------------------|--|
| <b>Composition 1</b>  | (cyproconazole, 25% wettable granulated material according to the present invention: 25% cyproconazole, 51% lauryl ether sulphate, 10% AEROSIL 200, 6% TUBORYL N, 4% silicone defoamer, 4% water). |
| <b>ALTO 100 SL</b>    | (cyproconazole, 10% solution concentrate, commercial form: 10% cyproconazole, 8.5% N-methylpyrrolidone, 5% AGRILAN F 546 (HARCROS CHEM., Great Britain), 76.5% polyethylene glycol).               |
| <b>SENTINEL 40 WG</b> | (cyproconazole, 40% wettable granulated material based on solids : 43.96% technical (91%) cyproconazole, 20% ULTRAZIN NA (LIGNOTECH, Norway), 36.04% MIKRODOL EXTRA (NORWEGIAN TALC, Norway)).     |

**Test results:**

Cyproconazole,  
in barley "Golden Promise" against powdery mildew (*Erysiphe graminis*)  
80 g cyproconazole per hectare  
percentage control 17 DAT, 24 DAT

Formulation	17 DAT	24 DAT
composition 1	87	76
ALTO 100 SL	80	68
SENTINEL 40 WG	62	35

For a single application of 80 g active ingredient per hectare, the granular formulation according to the invention had the best effect, which clearly surpassed the effect of the liquid commercial form ALTO SL. The effect of the granular commercial form SENTINEL WG was considerably weaker in this test.

**Patent Claims**

1. Agrochemical granulated material, which is dispersible in water and contains a mixture, that is liquid, gel-like or waxy at +25°C, comprising at least one agrochemical active ingredient and at least one surface-active compound and a thickening agent, and optionally having an outer coating, characterised in that the granulated material has plastic behaviour at +25°C.
2. Granulated material according to claim 1, characterised in that a cylindrical or spherical grain with a diameter of 0.6 - 2 mm is deformed homogeneously, like a plastic, to form an elliptic or circular plate at a thickness of at most 20% of its original diameter, when compressed between two non-plastic parallel plates.
3. Granulated material according to claim 1 or 2, characterised in that it additionally contains further admixtures that are usual in agriculture.
4. Granulated material according to claim 3, characterised in that it contains up to 55%, preferably up to 10%, of admixtures.
5. Granulated material according to one of claims 1 to 4, characterised in that the content of liquid, gel-like or waxy mixture in the granulated material is 40 to 90% of its total weight.
6. Granulated material according to one of claims 1 to 5, characterised in that it contains up to 20% by weight, preferably 5-20%, especially 5-10% by weight of a thickening agent.
7. Granulated material according to one of claims 1 to 7, characterised in that it contains 40 to 90% of the liquid, gel-like or waxy mixture comprising agrochemical active ingredient and surface-active compound, 5 to 20% of a thickening agent, and further admixtures that are usual in agriculture.
8. Granulated material according to one of claims 1 to 7, characterised in that the liquid, gel-like or waxy mixture consists of a liquid or solid agrochemical active

ingredient and a liquid surface-active compound, or of a liquid active ingredient and a liquid or solid surface-active compound.

9. Granulated material according to claim 8, characterised in that the agrochemical active ingredient in question is a pesticide having acaricide, fungicide, herbicide or insecticide activity.
10. Granulated material according to claim 9, characterised in that the herbicide in question is one selected from the group fluometuron, gluphosinate, glyphosate, sulcotrione, 3-phenyl-4-hydroxy-6-chlorpyridazine, dimethenamide, metolachlor, (S)-metolachlor, triasulfuron, nicosulfuron and rimsulfuron.
11. Granulated material according to claim 9, characterised in that the agrochemical active ingredient is a fungicide selected from the group carbendazim, cyprodinil, chlorthalonil, metalaxyl, (R)-metalaxyl, oxadixyl, azoxystrobin, kresoxim-methyl, propiconazol, cyproconazole, epoxyconazol and tebuconazol.
12. Granulated material according to claim 9, characterised in that the agrochemical active ingredient is an acaricide or insecticide selected from the group lufenuron, diafenthiuron, tau-fluvalinate and cypermethrin.
13. Granulated material according to one of claims 1 to 12, characterised in that the thickening agent is selected from the series ultra-fine, pyrogenic or precipitated silicon dioxide, bentonite and organic polymers such as polyvinyl alcohol derivatives, cellulose derivatives, polysaccharide derivatives or ultra-fine urea or melamine/formaldehyde condensates.
14. Granulated material according to one of claims 1 to 12, characterised in that the surface-active compound in question is an anionic surfactant from the series of fat alcohol ether sulphonates, such as lauryl ether sulphates, sulposuccinates, alkyl- and alkylaryl-polyethylene oxide phosphoric acid esters, sulphonated naphthalene/formaldehyde condensates and alkylaryl sulphonates, or a non-ionic surfactant from the series of alkylphenol ethoxylates, such as nonylphenol ethoxylates, fat alcohol ethoxylates such as oleyl alcohol ethoxylates or lauryl alcohol ethoxylates, fat amine ethoxylates and mixtures thereof, ethoxylated oils such as ethoxylated castor oil and rapeseed oil, ethoxylated fatty acid methyl


esters, sorbitan esters and ethoxylated sorbitan esters, ethoxylated polyethylene glycols, ethylene oxide / propylene oxide adducts, alkyl-succinic acid anhydride condensates, fatty acid amide ethoxylates, alkyl-polyglycosides or silicone surfactants.

15. Granulated material according to one of claims 1 to 14, characterised in that a powdery carrier such as kaolin or talc, which is usual in agriculture, is applied to the surface of the granulated material as a coating, or the granulated material bears a coating consisting of a water-soluble polymer film such as polyvinyl alcohol or polyvinyl pyrrolidone.
16. Process for the production of a granulate according to claim 1, characterised in that the agrochemical active ingredient is mixed with the surface-active compound to form a homogeneous mixture, and this mixture is brought to a granulatable state by adding a thickening agent, this mixture is granulated and the surface of the granulate obtained is given a coating if desired.
17. Process according to claim 16, characterised in that the granulate is produced by an extrusion process.





Abb. 1



BEST AVAILABLE COPY

SUBSTITUTE SHEET (RULE 26)

# INTERNATIONAL SEARCH REPORT

In tional Application No

PCT/EP 97/04783

A. CLASSIFICATION OF SUBJECT MATTER  
IPC 6 A01N25/14

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)  
IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 501 798 A (DU PONT) 2 September 1992 see the whole document	1-17
A	US 5 476 833 A (FERSCH KENNETH E ET AL) 19 December 1995 see the whole document	1-17
A	CH 421 158 A (DÜNGEMITTEL-TECHNIK AG) 31 March 1967 see page 1, line 36 - line 73 see page 2, line 83 - line 103; claims	1-17

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents:

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "Z" document member of the same patent family

Date of the actual completion of the international search

29 December 1997

Date of mailing of the international search report

08/01/1998

Name and mailing address of the ISA

European Patent Office, P.B. 5618 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Muellners, W

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 97/04783

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0501798 A	02-09-92	AT 154868 T	15-07-97
		AU 661686 B	03-08-95
		AU 1583892 A	06-10-92
		BR 9205703 A	17-05-94
		CN 1065181 A	14-10-92
		DE 69220662 D	07-08-97
		EP 0575489 A	29-12-93
		HU 65076 A	28-04-94
		IL 101098 A	05-12-96
		JP 6505493 T	23-06-94
		PL 170484 B	31-12-96
		WO 9215197 A	17-09-92
		US 5474971 A	12-12-95
		ZA 9201526 A	30-08-93
US 5476833 A	19-12-95	US 5643593 A	01-07-97
CH 421158 A		NONE	

**This Page Blank (uspto)**

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ BLACK BORDERS
- ☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
- ☐ FADED TEXT OR DRAWING
- ☒ BLURRED OR ILLEGIBLE TEXT OR DRAWING
- ☐ SKEWED/SLANTED IMAGES
- ☒ COLOR OR BLACK AND WHITE PHOTOGRAPHS
- ☐ GRAY SCALE DOCUMENTS
- ☒ LINES OR MARKS ON ORIGINAL DOCUMENT
- ☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
- ☐ OTHER: \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**

**THIS PAGE BLANK (USPTO)**